


Door pulls application


X 0522



For installing a single pull handle with screw covering rosettes on a glass door, thickness 8 -12 mm, for items.

K 1210 - K 1188


X 0523



For installing a pair of pull handles with screw covering rosettes on a wooden door, thickness 45 - 55 mm 55-65 mm, for items.

K 1210 - K 1188


X 0524



For installing a pair of pull handles with screw covering rosettes on a glass door, thickness 8 -12 mm, for items.

K 1210 - K 1188


X 0525



For installing a single pull handle with screw covering rosettes on a wooden door, thickness 45 - 55 mm 55-65 mm, for items.

K 1210 - K 1188


X 0526



For installing a single pull handle with screw covering rosettes on a wooden door, or on a masonry wall using a brass anchor screw, for items.

K 1210 - K 1188

X 0527




For installing a single pull handle without screw covering rosettes on a glass door, thickness 8 -12 mm, for items.

K 1226 - K 1228


Door pulls application

X 0528




For installing a pair of pull handles without screw covering rosettes on a wooden door, thickness 45-55 mm 55-65 mm, for items. **K 1226 - K 1228**

X 0529




For installing a pair of pull handles without screw covering rosettes on a glass door, thickness 8-12 mm, for items. **K 1226 - K 1228**

X 0530




For installing a single pull handle without screw covering rosettes on a wooden door, thickness 45-55 mm 55-65 mm, for items. **K 1226 - K 1228**

X 0531




For installing a single pull handle without screw covering rosettes on a wooden door, or on a masonry wall using a brass anchor screw, for items. **K 1226 - K 1228**

X 0544



For installing a single pull handle without screw covering rosettes on a burglary-proof steel-clad door, for items. **K 1226 - K 1228**

X 0551




For installing a single pull handle without screw covering rosettes on an aluminum door, for items. **K 1226 - K 1228**

Window lever application

X 0601

Movement 4 click positions




Dummy set adaptor

Round Rose – Solid Brass


X003/1 Double RP

Set includes: 2 underosettes, 1 latch bolt blank
BACKSET 2.3/4" and 2.3/8"
Retail price \$ 75.00



X003/2 Single RP

Set includes: 1 underosette, 1 latch bolt blank
finished solid brass rosette for opposite side available
in 26/chrome finish
BACKSET 2.3/4" and 2.3/8"
Retail price \$ 90.00




Dummy set adaptor

Square Rose – Solid Brass


X003/1 Double RQ

Set includes: 2 underosettes, 1 latch bolt blank
BACKSET 2.3/4" and 2.3/8"
Retail price \$ 75.00



X003/2 Single RQ

Set includes: 1 underosette, 1 latch bolt blank
finished solid brass rosette for opposite side available
in 26/chrome finish
BACKSET 2.3/4" and 2.3/8"
Retail price \$ 90.00




Dummy set adaptor

Round Rose - Stainless Steel

X003/1 Double RPS

Set includes: 2 underosettes, 1 latch bolt blank
BACKSET 2.3/4" and 2.3/8"
Retail price \$ 75.00




Dummy set adaptor

Round Rose - Stainless Steel

X003/2 Single RPS

Set includes: 2 underosettes, 1 latch bolt blank
finished solid brass rosette for opposite side
available in 26/chrome finish
BACKSET 2.3/4" and 2.3/8"
Retail price \$ 90.00




Dummy set adaptor

Square Rose - Stainless Steel

X003/1 Double RQS

Set includes: 2 underosettes, 1 latch bolt blank
BACKSET 2.3/4" and 2.3/8"
Retail price \$ 75.00



X003/2 Single RQS

Set includes: 1 underosette, 1 latch bolt blank
finished solid brass rosette for opposite side available
in 26/chrome finish
BACKSET 2.3/4" and 2.3/8"
Retail price \$ 90.00

